

neat. pad




원터치 두 가지 역할



Neat Pad는 모든 Zoom 회의 공간에서 컨트롤러 또는 회의실 외부의 일정 디스플레이로 사용할 수 있는 간단하고 우아한 터치 스크린입니다. 세련된 디자인과 원활한 상호 작용 및 보기를 위한 이상적인 화면 각도를 갖춘 Neat Pad는 회의실용으로 특별히 제작되었으며,

테이블, 벽 또는 다른 곳에 놓아도 어디에나 아름답게 조화를 이룹니다. 하나의 PoE(Power over Ethernet) 케이블을 통해 Neat Pad는 항상 전원이 켜져 있어 즉시 활성화되며, 전용 전원 케이블을 사용하면 배터리가 전혀 부족하지 않습니다.



For more information, visit neat.no/pad

Neat Pad

일반	네트워킹 및 포트	크기 및 무게	전력 및 환경 요구 사항
8인치 터치 스크린 1280 × 800 화면 해상도 16:10 종횡비 눈부심 방지, 얼룩 방지 코팅 주변광 센서 온도, 습도, CO2 및 VOC용 센서 측면 LED 표시등 가속도계 벽면 장착 및 측면 장착 보안 잠금 슬롯(퀵스텝 잠금 장치와 호환) Zoom Rooms에 대한 기본 지원 울트라사운드 2개의 마이크용 스피커(**) ** 향후 소프트웨어 업데이트에서 지원	WiFi USB-C(향후 사용 가능) 이더넷(PoE 지원) AC용 전원 어댑터(옵션)	너비: 198mm(7.8인치) 높이: 42mm(1.7인치) 깊이: 127mm(5인치) 무게: 520g(1.15파운드)	PoE(Power over Ethernet): 802.3at PoE+ (Class 4/모드 A) 56V 0.275A 주변 작동 온도: 0°~35°C(32°~95°F) 보관 온도: -20°~60°C(-4°~140°F) 상대 습도: 10%~90%

간단한 설정

Neat Pad는 벽면 및 측면 장착 부품과 함께 제공되므로 누구나 쉽게 설치하고 설정할 수 있습니다. 벽면 거치대를 사용하여 Neat Pad를 회의실 벽에 컨트롤러로 고정하거나 회의실 외부에 일정 디스플레이로 고정해 보십시오. 측면 장착 부품을 사용하면 Neat Pad를 문틀이나 문설주 가장자리에 고정할 수 있습니다.

완벽한 관리 및 지원

Neat는 안전한 단일 목적 하드웨어 디바이스 덕분에 복잡성과 위험을 제거합니다. 따라서, 암호 및 패치를 걱정할 필요가 없습니다. 또한, 클릭 한 번으로 모든 최신 업그레이드를 설치할 수 있습니다.

수월한 작동

Neat Pad에는 2개의 내장 마이크가 있어 대형 회의실에서 사용하거나 화면에서 멀어질 때(향후 소프트웨어 릴리스에서 활성화된 후 사용 가능) 향상된 오디오 포착 기능을 제공합니다. Neat Pad를 여러 개 추가하면 모든 사람이 테이블 주변 어디에서나 컨트롤 할 수 있습니다. 일정 디스플레이로 사용 시, 회의실에서 예약된 모든 이벤트를 표시하며, 빨간색 및 녹색 측면 LED 표시등은 지정된 시간에 회의실의 이용 가능 여부를 보여줍니다.

보다 안전한 회의실

모든 Neat 디바이스와 마찬가지로 Neat Pad를 사용하면 회사가 직원에게 상당한 건강상의 이점을 제공할 수 있습니다. 나날이 강화되는 안전 조치를 취해야 하는 오늘날의 하이브리드 작업 환경에서 이러한 기능으로 상당히 안심할 수 있습니다. Neat 디바이스에는 공기질, 습도(건강한 실내 습도 수준은 30-50% 사이임, 독감 바이러스는 열악한 실내 습도로 인해 빠르게 퍼질 수 있음), 실내의 CO2 및 유기 화학 물질 수준(냄새, 악취 등)을 관리하고 모니터링할 수 있는 Neat Sense*가 통합되어 있습니다. 또한, 온도와 함께 실내에 사람이 있는지 확인할 수 있습니다. 이러한 방식으로, 항상 올바른 사회적 거리두기를 유지할 수 있습니다. Zoom 디바이스 관리 포털에서 이러한 귀중한 정보에 액세스할 수 있으므로, 회의 공간을 쉽게 모니터링할 수 있습니다.

neat.pad



One Touch. Two Roles.



Neat Pad is a simple and elegant touch screen you can use as a controller inside any Zoom or Microsoft Teams meeting room or scheduling display outside. With its sleek design, including ideal screen angle for smooth interaction and viewing, Neat Pad is purpose-built for meeting rooms.

It beautifully blends in anywhere, whether placed on a table, wall or elsewhere. Thanks to just one Power over Ethernet cable, Neat Pad is always on, ready for you to leap into action, and with a dedicated power cable, never runs out of battery.

neat.

Simple set-up.

Neat Pad ships with a wall and side mount, so it's easy for anyone to install and set up. Use the wall mount to fix Neat Pad to your meeting room wall as a controller or outside your meeting room as a scheduling display. With the side mount, you can secure Neat Pad to the edge of your doorframe or mullion.

Fully managed and supported.


Neat removes complexities and threats thanks to our secure, single-purpose hardware devices, meaning no stressing about passwords and patches. Plus, you can install all the latest upgrades with just one click.


Safer meeting rooms.

As with all Neat devices, Neat Pad empowers companies to offer their employees significant health benefits. In today's hybrid working environment of having to take ever-increasing safety measures, that can be a massive relief. So, Neat Bar incorporates Neat Sense*, a capability that helps you control and monitor air quality, humidity (healthy indoor humidity levels are between 30-50%), CO2 and organic chemical levels in the room – scents, odors, etc. Furthermore, it enables you to see whether there are people in a room and, if so, how many. That way, you can be sure of always maintaining correct social distancing.

Just works.

Neat Pad's controller function has two built-in microphones that will offer enhanced audio pickup to support even larger meeting rooms or when facing away from the screen (once enabled with a future software release.) While Neat Pad's scheduling function displays all events booked in the meeting room, with red and green side LED indicators showing the availability of the room at any given time.





For more information, visit neat.no/pad

Neat Pad

General

8-inch (diagonal) touch screen
1280 × 800 screen resolution
16:10 aspect ratio
Anti glare, anti smudge coating
Ambient light sensor
Sensors for temperature, humidity, CO₂ and VOC (*)
Side LED Indicators
Speakers for ultrasound (*)
2 microphones (**)
Accelerometer
Wall mount and side mount
Security lock slot (Kensington compatible)
Native support for Zoom Rooms
Native support for Microsoft Teams Rooms on Android

Networking & ports

WiFi
USB-C (reserved for future use)
Ethernet (supports PoE)
Power adapter for AC (optional)

* Feature not yet supported by Microsoft Teams

** Supported in future software update

Size & weight

Width: 7.8 inches (198 mm)
Height: 1.7 inches (42 mm)
Depth: 5 inches (127 mm)
Weight: 1.15 pounds (520 g)

Electrical and environmental requirements

Power over Ethernet (PoE): 802.3af PoE (Class 0/mode A)
56V = 0.275A
Ambient operating temperature: 32° to 95° F (0° - 35° C)
Storage temperature: -4° to 140° F (-20° to 60° C)
Relative humidity: 10% to 90%